

Iso Butyl Acetate

Formula:

$C_6H_{12}O_2$

HS code:

Types:

99%



Applications:

Aerosol coatings, Architectural coatings, Auto OEM, Auto plastics, Auto refinish, Coil coatings, Electronic chemicals, Furniture, General industrial coatings, Graphic arts, Industrial maintenance, Inks, Marine, Metal coatings, Pharmaceutical chemicals, Process solvents, Protective coatings, Roofing ingredients, Solvents/stripping agents, Wood coatings

Packaging:

- Drum, IBC, Steel tank
- Drum: 160kg,
- IBC: 800kg,
- Tanks: 16000-18000 kg

Transportation:

- 4 drums in one Pallet and 18 Pallets on a lorry or container
- Totally max 18 MT with a Tank lorry



Isobutyl acetate

Chemical Name or Material	Isobutyl acetate	Density	0.87
Flash Point	18°C (64°F)	Odor	Fruit-like
Refractive Index	1.3895	Boiling Point	116°C to 117°C
Melting point	-99°C	Quantity	250ML
CAS	110-19-0	Assay Percent Range	98%
Molecular Formula	C6H12O2	MDL Number	MFCD00008932
UN Number	UN1213	Beilstein	1741909
Merck Index	14,5130	Synonym	Isobutyl acetate, isobutyl ethanoate, acetic acid, 2-methylpropyl ester, 2-methyl-1-propyl acetate, 2-methylpropyl ethanoate, acetic acid, isobutyl ester, acetic acid isobutyl ester, acetate of isobutyle, iso-butyl acetate, beta-methylpropyl ethanoate
Solubility information	Miscible with ethanol, ether, methanol and acetone. Slightly miscible with water and carbon tetrachloride.	INCHI Key	QR0TCYDQXPS-UHFFFAOYSA-N
SMILES	CC(C)CC(=O)OC	IUPAC Name	2-methylpropyl acetate
Molecular Weight (g/mol)	116.16	PubChem CID	8036
CHEBI	CHEBI:50569	Formula Weight	116.16
Physical Form	Liquid	Percent Purity	98%